

KARESS PEARLESCENT METALIZED™

SPECIALTY THERMAL PRINTABLE LAMINATE FILM

LuxeFilms® Karess Pearlescent Metalized™ is a truly unique print medium. It features a luminous metallic iridescence that ebbs and flows across the sheet in response to ink coverage. The more intense your transparent ink colors, the more intense the metallic reflection. Use of spot UV or Aqueous on this incredible product produces a bright foil-stamped look.

KEY BENEFITS

- Opaque Thermal Laminate
- Offset Printable
- Indigo® Printable
- UV Offset Printable
- Accepts Spot UV; Glueable and Stampable
- Total Satisfaction Gold Seal Guarantee™

SUGGESTED USES

- Point of Sale Displays
- Gift Packaging
- Consumer Goods Packaging
- Cosmetic and Jewelry Packaging
- Electronics Packaging
- Brochures, Postcards, and Consumer Marketing
- Liquor and Luxury Product Packaging
- Rigid Boxes
- Book Covers

Properties	Side	Value	Units	Test Method / Standard
Thickness		1.2	Mil	ASTM E 252
		30	Micron	
Transparency		Opaque		
Haze		Opaque		
Gloss		5	%	ASTM D 2457
Dyne Level		≥45	Dyne	ASTM D 2578
Coefficient of Friction		0.45		ASTM D 1894
Application Temperature		220-240°F (105-115°C)	°F (°C)	Various Equipment- Always Test
Lamination Tensile Strength	A	>5	N/25mm	ASTM D 882

A = Adhesive Side B = BOPP Side MD = Main Direction TD = Transverse Direction

Note: The information given on this specification sheet is believed to be true and accurate and is not intended to violate any statutory condition or right of a third party. Nobelus™ makes no warranty, express or implied, as to the fitness of the products for any specific use or purpose. The above data is purely for reader's consideration, investigation and verification.



Enhancing People, Partners
and the World's Brands